

Retail Food Inspection Report

Floyd County Health Department

Telephone (812) 948-4726

Establishment Name BELLA ROMA	Telephone Number Est 812-725-9495 Own 718-541-9408	Date of Inspection 11/03/2021	ID#
Address 134 E. MARKET STREET, NEW ALBANY IN 47150			
Owner MICHEL NASSEEM	Purpose <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	Follow Up	Released 11/03/2021
Owner's Address 230 PEARL STREET NEW ALBANY, IN 47150-		Menu Type 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input checked="" type="checkbox"/> 5 <input type="checkbox"/>	
Person in Charge MICHEL NASSEEM			
Responsible Person's Email MICHELLENASSEEM65@YAHOO.COM			
Certified Food Handler MICHEL NASSEEM			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
191	X			Observed no date marks on pasta, lasagna, meatballs, and cooked beef. Any cooked food must be date marked and disposed of after 7 days.	Today
192	X			Observed decomposing bell pepper in the back of prep cooler.	Corrected
173	X			Observed package of steak stored over ready to eat bread in prep cooler. Observed meat stored over ready to eat vegetables in downstairs walk-in cooler.	Corrected
415	X			Observed mice dropping under prep table in kitchen near bait station. Clean area. Continue to treat for mice with only tamper resistant covered bait stations. If rodent issue cannot be resolved a Certified Pest Operator must be contacted to treat the establishment.	2 weeks
439	X			Observed insect pesticide stored on corner of prep table. Chemical storage must be away from food and equipment to prevent possible contamination.	Today
218		X		Observed 4 lightbulbs out in the kitchen.	2 weeks
325		X		Observed hot water faucet unable to shut off flow of water. Secondary valve under sink is being used to turn off water.	2 weeks
297		X		Observed food splatter in microwave.	1 day

Summary of Violations C 5 NC 3 R 0

Received by (name and title printed):

Inspected by (name and title printed):

Thomas Snider CFS

Received by (signature):

Inspected by (signature):

Thomas Snider

cc:

cc:

cc: